

### VC010/VC060/VC080

### VGA/DVI/HDMI EDID Emulator

The ATEN VC010 / VC060 / VC080 is a VGA/DVI/HDMI EDID Emulator, which is designed to emulate and store the EDID of a video display, providing constant and reliable EDID data for the a VGA/DVI/HDMI source device to efficiently optimize video resolution.

The ATEN VGA/DVI/HDMI EDID Emulator is a convenient tool that ensures smooth viewing experience for any video installation. The EDID Emulator provides three flexible methods for selecting and switching between EDID Modes: Default Mode, Programming Mode, and Learning Mode. It comes with an easy-to-use EDID Wizard that allows users to quickly view, store and manage EDID settings.







# **Features**

- Superior video quality HDTV resolutions of 480i, 480p, 720i, 720p, 1080i, 1080p (1920 x 1080); VGA, SVGA, XGA, SXGA, UXGA and WUXGA (1920 x 1200)
- EDID Wizard allows a user an easy way to manage EDID settings
- Consumer Electronics Control (CEC) allows interconnected HDMI devices to communicate and respond to one remote control (VC080)
- EDID mode selection Default, Learning , Programming
- HDMI (3D, Deep Color), HDCP compatible (VC080)
- Supports Dolby True HD and DTS HD Master Audio (VC080)
- Automatically manages EDID communication between connected devices
- Signaling rates up to 2.25 Gbits in support of 1080p display
- LED indication of video source devices
- Supports wide screen
- Supports hot-plugging
- Non-Powered\*

\*If the video source is not receiving enough power an external power cord should be connected.



## Intelligent DDC Channel Switch

The previous Emulator only supports EDID signal bi-directional communication – it cannot transmit HDCP over a single channel. With the Intelligent DDC Channel Switch feature, the HDCP bypass or EDID mode can be selected automatically (VC080).

### **EDID Wizard**

The EDID Wizard application can be downloaded from the ATEN website. The user-friendly GUI can be used to view, configure and store EDID settings.







# **Specification**

Function		VC010	VC060	VC080
Connectors	Video In	1 x HDB-15 Female (Blue)	1 x DVI-l Female (White)	1 x HDMI Type A Female (Black)
	Video Out	1 x HDB-15 Female (Blue)	1 x DVI-I Female (White)	1 x HDMI Type A Female (Black)
	RS-232 Port	1 x mini jack (Black)		
	Power	1 x DC Jack		
Switch	Learn/Select	1 x Pushbutton		
LED	EDID Set	4 (Green)		
Video		1920 x 1200; 1080p		
Power Consumption		DC5V, 0.15W		
Environment	Operating Temp.	0°C - 50°C		
	Storage Temp.	-20°C - 60°C		
	Humidity	0 – 80% RH, Non-condensing		
Physical Properties	Housing	Metal		
	Weight	0.15 kg		
	Dimension (L x W x H)	7.90 x 7.76 x 2.55 cm	7.90 x 7.86 x 2.55 cm	7.90 x 7.16 x 2.55 cm

#### ATEN International Co., Ltd.

Printed 03/2013 V2.0

www.aten.com E-mail: marketing@aten.com

