

# PRODUCT DATASHEET

## LED Flat

Slim design | Slim LED luminaires with LED module



---

### AREAS OF APPLICATION

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements
- Kitchens, workspaces

---

### PRODUCT BENEFITS

- Very slim design
- Energy savings of up to 80 % compared to luminaires using conventional lamps
- Easy and quick installation

---

### PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Circular light emission



TECHNICAL DATA


Electrical data

Nominal wattage	20.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	2700 K
Light color (designation)	Warm White
Color rendering index Ra	80

Dimensions & weight



Diameter	380.0 mm
Height	29.0 mm
Product weight	710.00 g

Colors & materials

Body material	Polycarbonate (PC)
Product color	Gray/White
Cover material	Polycarbonate (PC)

Capabilities

Dimmable	No
----------	----

Certificates & standards

Protection class	II
Type of protection	IP20

---

**EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

---

**LOGISTICAL DATA**

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899948266	LED Flat	Folding carton box 1	385 mm x 35 mm x 388 mm	5.23 dm <sup>3</sup>	761.00 g
4052899948297	LED Flat	Shipping carton box 10	399 mm x 366 mm x 405 mm	59.14 dm <sup>3</sup>	8093.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.