

# **PRODUCT DATASHEET**LUNIVE VELA 14 W C40 4000 K

# **LUNIVE | Luminaires with glass cover**



#### **AREAS OF APPLICATION**

- Indoor applications
- Dining rooms, living rooms, study rooms
- Corridors

#### **PRODUCT BENEFITS**

- Available in two light colors to create the right atmosphere in your room
- Very homogenous light
- Quick and simple installation
- 5 years guarantee

#### **PRODUCT FEATURES**

- Ceiling luminaire with advanced LED technology
- Italian designs, available in various sizes and wattages
- High quality glass and metal housing finish



# **TECHNICAL DATA**


# Electrical data

| Operating mode  | Mains voltage |  |
|-----------------|---------------|--|
| Nominal wattage | 14.00 W       |  |
| Nominal voltage | 220240 V      |  |
| Mains frequency | 50/60 Hz      |  |

#### Photometrical data

| Color temperature         | 4000 K     |  |
|---------------------------|------------|--|
| Luminous flux             | 750 lm     |  |
| Light color (designation) | Cool White |  |
| Color rendering index Ra  | >80        |  |

# Dimensions & weight



| Length         | 220.0 mm |
|----------------|----------|
| Width          | 220.0 mm |
| Height         | 55.0 mm  |
| Product weight | 870.00 g |

# Colors & materials

| Body material  | Metal      |  |
|----------------|------------|--|
| Product color  | Gray/White |  |
| Cover material | Glass      |  |

# Lifespan

| Lifespan | 20000 h |
|----------|---------|
|----------|---------|

# Capabilities

| Dimmable | No |
|----------|----|
|----------|----|

| Type of connection       | Push and screw terminal |
|--------------------------|-------------------------|
| Certificates & standards |                         |

| Protection class   | 1             |
|--------------------|---------------|
| Type of protection | IP20          |
| Standards          | CE/REACH/RoHS |

#### **EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

#### **LOGISTICAL DATA**

| Product code  | Product description            | Packaging unit<br>(Pieces/Unit) | Dimensions (length x width x height) | Volume    | Gross weight |
|---------------|--------------------------------|---------------------------------|--------------------------------------|-----------|--------------|
| 4052899373624 | LUNIVE VELA 14 W<br>C40 4000 K | Shipping carton box 4           | 491 mm x 260 mm x<br>197 mm          | 25.15 dm³ | 4288.00 g    |
| 4052899373624 | LUNIVE VELA 14 W<br>C40 4000 K | UN4<br>1                        | 293 mm x 284 mm x<br>146 mm          | 12.15 dm³ | 1.24 g       |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **REFERENCES / LINKS**

For Guarantee see

www.ledvance.com/guarantee

# **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.