

# PRELIMINARY-PRODUCT DATASHEET NIGHTLUX Hall White

NIGHTLUX Hall | Mobile nightlights with motion sensor and tilt function, battery-powered



#### **AREAS OF APPLICATION**

- For a very large range of uses
- Indoor and outdoor
- Entrances / Hallways
- Corridors

#### **PRODUCT BENEFITS**

- Attractive and functional design
- Economical operation due to low power consumption
- Easy and fast mounting on nearly every surface (adhesive tape or screws)
- Light direction individually adjustable
- All accessories for flexible mounting options included

#### **PRODUCT FEATURES**

- Integrated light and motion sensor
- Available in two housing colors
- Switch for Auto- or On/Off-Mode
- Type of protection: IP54



# **TECHNICAL DATA**


# Electrical data


Operating mode	Battery
Nominal wattage	0.25 W
Nominal voltage	NaN V
Mains frequency	0 Hz

# Photometrical data

Color temperature	4000 K		
Luminous flux	14 lm		
Light color (designation)	Cool White		
Color rendering index Ra	>80		

# Dimensions & weight





Length	84.0 mm
Width	73.0 mm
Height	22.0 mm
Product weight	98.00 g

# Colors & materials

Body material	Polycarbonate (PC)	
Product color	White	

# Temperatures & operating conditions

Ambient temperature range	025 °C

# Lifespan

_		
I	Lifespan	25000 h

# Capabilities

Dimmable	No	
Type of sensor	Passive infrared (PIR)	

# Certificates & standards

Protection class	III	
Type of protection	IP54	
Standards	CE	

# **EQUIPMENT / ACCESSORIES**

- Batteries included: 3x1.5 V LR03 (AAA)

#### **LOGISTICAL DATA**

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075027190	NIGHTLUX Hall White	Blister 1	25 mm x 140 mm x 195 mm	0.68 dm <sup>3</sup>	118.00 g
4058075027206	NIGHTLUX Hall White	Shipping carton box 6	163 mm x 154 mm x 210 mm	5.27 dm <sup>3</sup>	845.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.