

PRODUCT DATASHEETNIGHTLUX Stair Silver

NIGHTLUX Stair | Nightlights for stairs illumination, battery-powered



AREAS OF APPLICATION

- For a very large range of uses
- Indoor and outdoor
- Stairways
- Along corridors for way-finding
- Entrances / Hallways

PRODUCT BENEFITS

- Attractive and functional design
- Economical operation due to low power consumption
- Easy and fast mounting on nearly every surface (adhesive tape or screws)
- All accessories for flexible mounting options included

PRODUCT FEATURES

- Integrated light and motion sensor
- Available in two housing colors
- Switch for Auto- or On/Off-Mode
- Type of protection: IP54
- Downward light emission for floor illumination



TECHNICAL DATA


Electrical data


Operating mode	Battery	
Nominal wattage	0.25 W	
Nominal voltage	NaN V	
Mains frequency	0 Hz	

Photometrical data

Color temperature	4000 K	
Luminous flux	10 lm	
Light color (designation)	Cool White >80	
Color rendering index Ra		

Dimensions & weight





Length	28.0 mm	
Width	84.0 mm	
Height	73.0 mm	
Product weight	95.00 g	

Colors & materials

Body material	Acrylonitrile butadiene styrene (ABS)	
Product color	Silver	

Temperatures & operating conditions

Ambient temperature range	025 °C
---------------------------	--------

Lifespan

_		
ı	Lifespan	25000 h

Capabilities

Dimmable	No
Type of sensor	Passive infrared (PIR)

Certificates & standards

Protection class	III	
Type of protection	IP54	
Standards	CE/RoHS/REACH	

EQUIPMENT / ACCESSORIES

- Batteries included: 3x1.5 V LR03 (AAA)

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075030602	NIGHTLUX Stair Silver	Blister 1	31 mm x 140 mm x 195 mm	0.85 dm³	115.00 g
4058075030619	NIGHTLUX Stair Silver	Shipping carton box 6	198 mm x 154 mm x 210 mm	6.40 dm ³	862.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.