

# PRODUCT DATASHEET

## LinearLED Mobile Battery 300

Linear LED Mobile | Undercabinet luminaire for flexible mounting, with motion sensor, battery-powered



### AREAS OF APPLICATION

- For a very large range of uses
- For indoor use only
- Shelves, furniture integration or under cabinet mounting

### PRODUCT BENEFITS

- Attractive and functional design
- Economical operation due to low power consumption
- Easy and quick installation

### PRODUCT FEATURES

- Housing material: aluminum
- Integrated light and motion sensor
- Switch for Auto- or On/Off-Mode



## TECHNICAL DATA


### Electrical data

Nominal wattage	2.90 W
Nominal voltage	9.00 V
Mains frequency	0 Hz

### Photometrical data

Color temperature	4000 K
Luminous flux	174 lm
Light color (designation)	Cool White
Color rendering index Ra	>80

### Dimensions & weight



Length	314.0 mm
Width	48.0 mm
Height	18.0 mm
Product weight	368.00 g

### Colors & materials

Body material	Polycarbonate (PC)/Acrylonitrile butadiene styrene (ABS)
Product color	White

### Temperatures & operating conditions

Ambient temperature range	-20...40 °C
---------------------------	-------------

### Lifespan

Lifespan	25000 h
----------	---------

### Capabilities

Dimmable	No
----------	----

<b>Type of sensor</b>	Passive infrared (PIR)
-----------------------	------------------------

#### Certificates & standards

<b>Protection class</b>	III
<b>Type of protection</b>	IP20
<b>Standards</b>	CE/RoHS

---

**EQUIPMENT / ACCESSORIES**

- Batteries included: 4x 1.5 V LR6 (AA)
- All required accessories included

---

**LOGISTICAL DATA**

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075026643	LinearLED Mobile Battery 300	Blister 1	22 mm x 140 mm x 400 mm	1.23 dm <sup>3</sup>	416.00 g
4058075026650	LinearLED Mobile Battery 300	Shipping carton box 6	413 mm x 161 mm x 158 mm	10.51 dm <sup>3</sup>	2685.00 g
4058075043251	LinearLED Mobile Battery 300	Shipping carton box 36	500 mm x 430 mm x 330 mm	70.95 dm <sup>3</sup>	3239.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.