

PRODUCT DATASHEET

SILARA 410 22 W 827-860 Remote-CCT

SILARA | LED ceiling luminaires, dimmable



AREAS OF APPLICATION

- For indoor use only
- Decorative domestic lighting
- Ceiling and wall surface mounting

PRODUCT BENEFITS

- Very homogenous light
- Easy and quick installation

PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Circular light emission



TECHNICAL DATA

Electrical data

Operating mode	Mains voltage
Nominal wattage	21.50 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Luminous flux	1400 lm
Light color (designation)	Warm White/Cool Daylight
Color rendering index Ra	>80

Dimensions & weight

Diameter	410.0 mm
Height	88.0 mm
Product weight	920.00 g

Colors & materials

Body material	Polycarbonate (PC)
Product color	White

Lifespan

Lifespan	25000 h
----------	---------

Capabilities

Dimmable	Yes
----------	-----

Certificates & standards

Protection class	I
Type of protection	IP20
Standards	CE/REACH/RoHS

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075032996	SILARA 410 22 W 827-860 Remote-CCT	Shipping carton box 6	652 mm x 472 mm x 450 mm	138.48 dm ³	11162.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.