

# PRODUCT DATASHEET

## SILARA SPARKLE 500 28 W 827-865 Remote-CCT

SILARA Sparkle | LED ceiling luminaires with sparkling effect

---

### AREAS OF APPLICATION

- For indoor use only
- Decorative domestic lighting
- Ceiling and wall surface mounting

---

### PRODUCT BENEFITS

- Very homogenous light
- Easy and quick installation

---

### PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Circular light emission



---

**TECHNICAL DATA****Electrical data**

Operating mode	Integrated LED driver
Nominal wattage	28.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

**Photometrical data**

Color temperature	2800 K
Luminous flux	2600 lm
Light color (designation)	Warm White/Cool White/Daylight
Color rendering index Ra	>80

**Dimensions & weight**

Diameter	500.0 mm
Height	91.0 mm
Product weight	1348.00 g

**Colors & materials**

Body material	Metal
Product color	White

---

**Capabilities**

Dimmable	Yes
----------	-----

**Certificates & standards**

Protection class	I
Type of protection	IP20

---

**EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

---

**LOGISTICAL DATA**

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075042193	SILARA SPARKLE 500 28 W 827-865 Remote-CCT	Shipping carton box 6	837 mm x 565 mm x 575 mm	271.92 dm <sup>3</sup>	10800.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.