

PRODUCT DATASHEET

SILARA SPARKLE 600 38 W 827-865 Remote-CCT

SILARA Sparkle | LED ceiling luminaires with sparkling effect



AREAS OF APPLICATION

- For indoor use only
- Decorative domestic lighting
- Ceiling and wall surface mounting

PRODUCT BENEFITS

- Very homogenous light
- Easy and quick installation

PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Circular light emission



TECHNICAL DATA

Electrical data

Operating mode	Integrated LED driver
Nominal wattage	38.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	2800 K
Luminous flux	3600 lm
Light color (designation)	Warm White/Cool White/Daylight
Color rendering index Ra	>80

Dimensions & weight

Diameter	600.0 mm
Height	120.0 mm
Product weight	1600.00 g

Colors & materials

Body material	Metal
Product color	White

Capabilities

Dimmable	Yes
-----------------	-----

Certificates & standards

Protection class	I
Type of protection	IP20

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075042216	SILARA SPARKLE 600 38 W 827-865 Remote-CCT	Shipping carton box 6	1137 mm x 665 mm x 670 mm	506.59 dm ³	27170.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.