

# PRODUCT DATASHEET

## PLANON PLUS 60x60 36 W 840

PLANON Plus | Slim panel luminaires for surface mounting



---

### AREAS OF APPLICATION

- For indoor use only
- Decorative domestic lighting
- Ceiling and wall surface mounting

---

### PRODUCT BENEFITS

- Very homogenous light
- Quick and simple installation by one person

---

### PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology



**TECHNICAL DATA**


Electrical data

<b>Operating mode</b>	Integrated LED driver
<b>Nominal wattage</b>	36.00 W
<b>Nominal voltage</b>	220...240 V
<b>Mains frequency</b>	50/60 Hz

Photometrical data

<b>Color temperature</b>	4000 K
<b>Luminous flux</b>	3200 lm
<b>Light color (designation)</b>	Cool White
<b>Color rendering index Ra</b>	>80

Dimensions & weight



<b>Length</b>	595.0 mm
<b>Width</b>	595.0 mm
<b>Height</b>	46.6 mm
<b>Product weight</b>	3387.00 g

Colors & materials

<b>Body material</b>	Metal
<b>Product color</b>	White

Lifespan

<b>Lifespan</b>	25000 h
-----------------	---------

Capabilities

<b>Dimmable</b>	No
-----------------	----

Certificates & standards

<b>Protection class</b>	II
<b>Type of protection</b>	IP20
<b>Standards</b>	CE/RoHS

---

## EQUIPMENT / ACCESSORIES

- Pre-assembled mounting kit, screws and dowels included

---

## LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075035225	PLANON PLUS 60x60 36 W 840	Shipping carton box 4	647 mm x 267 mm x 688 mm	118.85 dm <sup>3</sup>	17010.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.