

# PRODUCT DATASHEET

## PLANON PURE 60x60 36 W 830

PLANON Pure | Slim panel luminaires for recessed ceiling mounting



---

### AREAS OF APPLICATION

- For indoor use only
- Decorative domestic lighting
- For recessed mounting

---

### PRODUCT BENEFITS

- Very homogenous light
- Easy and quick installation

---

### PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Recessed ceiling mounting



**TECHNICAL DATA**


Electrical data

<b>Operating mode</b>	Integrated LED driver
<b>Nominal wattage</b>	36.00 W
<b>Nominal voltage</b>	220...240 V
<b>Mains frequency</b>	50/60 Hz

Photometrical data

<b>Color temperature</b>	3000 K
<b>Luminous flux</b>	3200 lm
<b>Light color (designation)</b>	Warm White
<b>Color rendering index Ra</b>	>80

Dimensions & weight



<b>Length</b>	595.0 mm
<b>Width</b>	595.0 mm
<b>Height</b>	10.5 mm
<b>Product weight</b>	2866.00 g

Colors & materials

<b>Body material</b>	Metal
<b>Product color</b>	White

Capabilities

<b>Dimmable</b>	No
-----------------	----

Certificates & standards

<b>Protection class</b>	II
<b>Type of protection</b>	IP20

## Standards

CE/RoHS

**EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

**LOGISTICAL DATA**

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075035348	PLANON PURE 60x60 36 W 830	Shipping carton box 6	704 mm x 669 mm x 295 mm	138.94 dm <sup>3</sup>	21270.00 g
4058075035348	PLANON PURE 60x60 36 W 830	Shipping carton box 4	647 mm x 267 mm x 688 mm	118.85 dm <sup>3</sup>	14926.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.