

PRODUCT DATASHEET

PLANON PURE 30x60 15 W 840

PLANON Pure | Slim panel luminaires for recessed ceiling mounting



AREAS OF APPLICATION

- For indoor use only
- Decorative domestic lighting
- For recessed mounting

PRODUCT BENEFITS

- Very homogenous light
- Easy and quick installation

PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Recessed ceiling mounting



TECHNICAL DATA


Electrical data

Operating mode	Integrated LED driver
Nominal wattage	15.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	4000 K
Luminous flux	1400 lm
Light color (designation)	Cool White
Color rendering index Ra	>80

Dimensions & weight



Length	595.0 mm
Width	295.0 mm
Height	10.5 mm
Product weight	1686.00 g

Colors & materials

Body material	Metal
Product color	White

Capabilities

Dimmable	No
-----------------	----

Certificates & standards

Protection class	II
Type of protection	IP20

Standards

CE/RoHS

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075035409	PLANON PURE 30x60 15 W 840	Shipping carton box 6	704 mm x 367 mm x 295 mm	76.22 dm ³	11956.00 g
4058075035409	PLANON PURE 30x60 15 W 840	Shipping carton box 4	647 mm x 267 mm x 388 mm	67.03 dm ³	8356.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.