

# **PRODUCT DATASHEET**PLANON PURE 30x120 36 W 840

PLANON Pure | Slim panel luminaires for recessed ceiling mounting



# **AREAS OF APPLICATION**

- For indoor use only
- Decorative domestic lighting
- For recessed mounting

# **PRODUCT BENEFITS**

- Very homogenous light
- Easy and quick installation

#### **PRODUCT FEATURES**

- Ceiling luminaire with advanced LED technology
- Recessed ceiling mounting



# **TECHNICAL DATA**

# Electrical data

Operating mode	Integrated LED driver	
Nominal wattage	36.00 W	
Nominal voltage	220240 V	
Mains frequency	50/60 Hz	

# Photometrical data

Color temperature	4000 K	
Luminous flux	3400 lm	
Light color (designation)	Cool White	
Color rendering index Ra	>80	

# Dimensions & weight



Length	1195 mm
Width	295.0 mm
Height	10.5 mm
Product weight	3080.00 g

# Colors & materials

Body material	Metal	
Product color	White	

# Capabilities

Dimmable	No
----------	----

### Certificates & standards

Protection class	II
Type of protection	IP20

Standards	CE/RoHS
Statiuarus	CE/KUH3

### **EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

# **LOGISTICAL DATA**

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075035447	PLANON PURE 30x120 36 W 840	Shipping carton box 6	1304 mm x 367 mm x 295 mm	141.18 dm³	22080.00 g
4058075035447	PLANON PURE 30x120 36 W 840	Shipping carton box	1267 mm x 267 mm x 373 mm	126.18 dm³	14790.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.