

PRODUCT DATASHEET

ENDURA STYLE Ring RD 13 W DG

ENDURA STYLE RING | Wall and ceiling luminaires with modern design in round shape



AREAS OF APPLICATION

- Outdoor
- Building facades
- Patios, balconies

PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- 5 years guarantee
- Easy and quick installation

PRODUCT FEATURES

- Bright and functional outdoor LED luminaires
- Type of protection: IP44
- Die-cast aluminum housing
- Available in two housing colors



TECHNICAL DATA


Electrical data

Operating mode	Mains voltage
Nominal wattage	13.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Luminous flux	480 lm
Light color (designation)	Warm White
Color rendering index Ra	>80

Dimensions & weight



Diameter	202.0 mm
Height	45.0 mm
Product weight	760.00 g

Colors & materials

Body material	Aluminum
Product color	DARK GRAY
Cover material	Polycarbonate (PC)

Temperatures & operating conditions

Ambient temperature range	-20...40 °C
---------------------------	-------------

Lifespan

Lifespan	30000 h
----------	---------

Capabilities

Dimmable	No
-----------------	----

Certificates & standards

Protection class	I
Type of protection	IP44
Standards	CE

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075031654	ENDURA STYLE Ring RD 13 W DG	Shipping carton box 6	470 mm x 255 mm x 215 mm	25.77 dm ³	6175.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

REFERENCES / LINKS

For Guarantee see

- ▶ www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.