

Product Highlights

Speed and Range of Wireless AC

The latest 802.11ac technology delivers combined wireless speeds of up to 1200 Mbps¹, with increased range to reach more places in your home or office

Multiple Operational Modes

Can operate as an access point, bridge, bridge with access point, repeater, or wireless client, giving the flexibility to tailor it to your network needs.

Robust Wireless Security

Complete set of security encryption standards including WEP, WPA/WPA2 and WPS to safeguard your network against malicious intruders



DAP-1665

Wireless AC1200 Dual-Band Access Point

Features

Wireless and Wired LAN

- Latest 802.11ac wireless technology with combined wireless speeds of up to 1200 Mbps¹
- Backwards-compatible with 802.11n/g/b/a clients
- Two external antennas increase range
- Gigabit LAN port for wired connections up to 1000 Mbps

Operating Modes

- Access point mode to add wireless to your existing network
- Repeater mode extends the range of your existing wireless network to reach further throughout your home or office
- Bridge mode lets you create a direct wireless link between two existing LANs
- Bridge mode with acccess point adds the functionality of a wireless access point to your bridged network
- Client mode delivers wireless connectivity to a LAN device such as a storage device, media server, or gaming console

Security

- Advanced wireless security features including MAC address, filter, wireless LAN partition and user limit
- WPA/WPA2 security encryption to protect your wireless traffic
- Quickly and easily add new wireless devices with Wi-Fi Protected Setup (WPS)
- Kensington lock port to protect against theft

The DAP-1665 Wireless AC1200 Dual-Band Access Point is a fast and versatile solution for bringing Wireless AC to your existing wired network, or extending your current wireless network. The latest 802.11ac technology delivers combined speeds of up to 1200 Mbps¹, so you can create a high-speed wireless link between networks, or quickly transfer large files wirelessly between computers on the same network.

High-Speed Wireless and Wired LAN

The DAP-1665 features the latest 802.11ac wireless technology, capable of delivering combined speeds of up to 1200 Mbps¹ over two bands. Use the 2.4 GHz band's 300 Mbps for web surfing, email and chat, while simultaneously using the lower-interference 5 GHz band for network bridging, downloading, and file transfers. For wired connections, the Gigabit LAN port enables wired data speeds of up to 1000 Mbps, meaning that your Gigabit-compatible wired devices can also benefit from the high speeds of wireless AC.

Versatile Operational Modes

The DAP-1665 can be configured to operate in several modes, allowing you to customise it to your networking needs. Access point (AP) mode allows the device to act as a central hub for wireless users, giving them access to your existing wired network. Wireless Client mode is available to enable the DAP-1665 to connect to another access point and provide network and Internet access to a remote wired device such as a gaming console or smart TVs. Bridge mode allows you to create a high-speed wireless link between two wired networks (LANs), alleviating the need to install additional network cabling, bridge mode with AP adds the functionality of a wireless AP to your bridged network, so wireless clients can access resources on both networks. Repeater mode extends wireless coverage of your existing wireless network to cover "dead" spots and reach further into your home or office.





DAP-1665 Wireless AC1200 Dual-Band Access Point

Full Wireless Security


The DAP-1665 provides 64/128-bit WEP encryption and WPA/WPA2 security to protect your network and wireless data. This device also supports Wi-Fi Protected Setup (WPS) to quickly and securely set up a secure wireless network. In addition, the access point features MAC address filtering and a disable SSID broadcast function to limit outsiders' access to your wireless network. The DAP-1665 also features a Kensington security slot so you can protect your access point against theft.

Multiple Operational Modes





Repeater Mode




Wireless Devices

Client Mode




Product Overview

Side View



Rear View



DAP-1665 Wireless AC1200 Dual-Band Access Point

General			
Networking Standards	• IEEE 802.11ac • IEEE 802.11n • IEEE 802.11g	• IEEE 802.11b • IEEE 802.11a • 802.3/802.3u	
Interface	IEEE 802.11ac wireless LAN IEEE 802.11n/g/b/a wireless LAN	• 10/100/1000BASE-TX wired LAN	
Operating Modes	Access Point (AP) Bridge Bridge with AP	Wireless Client Repeater	
Operating Frequency	• 5 GHz Band: • 5.15 GHz to 5.35 GHz • 5.47 GHz to 5.85 GHz	• 2.4 GHz Band: • 2.4 - 2.4835 GHz	
Antenna	• 2 x 5 dBi external antennas		
LEDs	Power 2.4 GHz wireless	• 5 GHz wireless • LAN	
Advanced Features			
Security	64/128-bit WEP WPA-PSK/WPA2-PSK Wi-Fi Protected Setup (WPS)	MAC address filteringKensington security slotSSID broadcast disable	
Device Management	Web-based interface minimum requirements: Internet Explorer 7, Firefox 12.0, Chrome 20.0, or Safari 4.0		
Physical			
Dimensions	• 147 x 108 x 27.8 mm (5.79 x 4.25 x 1.1 inches)	• 147 x 108 x 27.8 mm (5.79 x 4.25 x 1.1 inches)	
Weight	• 222 grams (0.489 lbs)		
Power	• Input: 12 V/1 A	Consumption: Maximum 5.18 W	
Temperature	• Operating: 0 to 40 °C (32 to 104 °F)	• Storage: -20 to 65 °C (-4 to 149 °F)	
Humidity	Operating: 10% to 90% non-condensing	Storage: 5% to 95% non-condensing	
Certifications	• CE • FCC • TELEC	ICWi-Fi CertifiedVCCI	

¹ Maximum wireless signal rate derived from 802.11ac specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, lower actual data throughput rate. Environmental factors may adversely affect wireless signal range. Wireless range and speed rates are D-Link RELATIVE performance measurements based on the wireless range and speed rates of a standard Wireless N product from D-Link.





For more information: www.dlink.com

