



USB-C to VGA HDTV Adapter

TUC-VGA (v1.0R)

- Connect an additional high resolution monitor to a workstation in Extend Mode
- Experience an HDTV display up to 1920 x 1200 resolution at 60 Hz
- Flawless video with high speed USB TYPE-C to VGA connection
- Powered by the connected computer
- Supports Windows[®] and Mac[®] operating systems

TRENDnet's USB-C (TYPE-C) to VGA HDTV Adapter, model TUC-VGA, adds an HDTV monitor to a workstation in Extend Mode or displays a computer screen on an HDTV in Duplicate Mode. Experience flawless video with the USB TYPE-C to VGA connection. The adapter is powered by the connected computer and is compatible with Windows[®] and Mac[®] operating systems.



Multi-Display Workstation

Unlock workstation efficiency by adding multiple large screen HD displays to your workstation (one TUC-VGA per display).



Display Your Way

Combine multiple displays into one viewing field with Extend Mode or repeat a viewing field to another display with Mirror Mode.



HD Video to a TV

Connect the high speed USB-C port to your computer, then connect the VGA cable to your TV to stream HD video.

Networking Solution





HD Resolution

1920x1200 @ 60 Hz max. resolution



Extend Mode

Extend a monitor with an available VGA port to a workstation



Duplicate Mode

Duplicate a computer display to an HDTV



Video Refresh

Supports a 60 Hz video refresh rate



USB Port

Compatible with USB Type-C port



Power

Powered by computer's USB port



LED Indicator

LED indicator conveys device status



Operating Systems

Compatible with Windows[®] and Mac[®] operating systems

Specifications

Standards

- VGA
- USB Type-C

Interface

- 1 x VGA 15-pin (Female) with Alt mode
- 1 x USB Type-C port (Male)

Monitor

- Full 1080p HD resolution support with a 60 Hz refresh rate
- Max. 1920 x 1200 resolution at 60 Hz

Modes

- Extend
- Duplicate / Mirror

Display Controls

- Define screen resolution
- Rotate display left, right, upside down
- Set as Main Monitor function transfers operating system controls to the display viewing field
- Notebook Monitor Off function turns off the computer's primary display

Supported OS

- Windows® 10
- Mac OS® 10.11, 10.10, 10.9, 10.8, 10.7, 10.6

Operating Temperature

- 0 – 40 °C (32 – 104 °F)

Operating Humidity

- Max. 90% non-condensing

Power

- USB powered

Dimensions

- 66 x 29 x 15 mm (2.6 x 1.1 x 0.6 in.)
- 140 mm (5.5 in) cable length

Weight

- 60 g (2.0 oz.)

Warranty

- 2 year limited

Certifications

- CE
- FCC

Package Contents

- TUC-VGA
- Quick Installation Guide

