



USB-C to HDMI with Power Delivery and USB 3.0 Port

TUC-HDMI3 (v1.0R)


- Mirror your laptop's HD display to any HDMI monitor or TV
- Supports resolutions up to 4K Ultra HD at 30 Hz
- Flawless video with high speed USB-C to HDMI connection
- USB-C Power Delivery Compliant
- USB 3.0 Port to connect a USB device
- Supports Chrome™, Windows® 10 and Mac® operating systems

TRENDnet's USB-C to HDMI 4K UHD Display Adapter with Power Delivery and USB 3.0 Port, model TUC-HDMI3, adds an HDTV or UHD display to a USB-C powered notebook. Mirror your notebook PC's display to an HDTV or monitor, and experience flawless video with the USB-C to HDMI connection. The USB-C power delivery port lets you charge a USB-C compatible notebook with the original charger while simultaneously using HDMI.




HDMI

Compatible with 1080p HD and 4K UHD displays with a maximum resolution of up to 3840 x 2160 at 30 Hz



Power Delivery Port

USB-C power delivery port lets you charge a USB-C compatible notebook with the original charger while simultaneously using other devices



USB 3.0 Port

Convenient USB 3.0 port allows you to connect a USB device to your notebook PC

Networking Solution



- ① USB 3.0 port
- ② HDMI port
- ③ USB Type C power delivery (PD) port
- ④ USB Type-C



4K UHD Resolution

Up to 3840 x 2160 at 30 Hz



Easy Setup

Simple installation in minutes



Compact Design

Reclaim desktop space and reduce clutter with this compact housing design



Flexible Connector

Attached flexible 60 mm (2.4 in.) USB-C cable accommodates most installation scenarios



USB 3.0 Port

Convenient USB 3.0 port allows you to connect a USB device to your notebook PC.



Power Delivery

USB-C power delivery compliant port supports up to PD power profile 4



Operating Systems

Compatible with Chrome, Windows® 10 and Mac® operating systems

Specifications

Standards

- HDMI 1.4b
- USB Type-C

Interface

- 1 x HDMI 1.4b port (Female)
- 1 x USB Type-C port (Male)
- 1 x USB Type C power delivery (PD) port
- 1 x USB 3.0 Type-A port

PD port

- Support up to PD power profile 4

Resolution

- Full 1080p HD resolution support with a 60 Hz refresh rate
- Max. 3840 x 2160 resolution at 30 Hz

Modes

- Extend
- Duplicate / Mirror

Display Controls

- Define screen resolution
- Rotate display left, right, upside down
- Set as Main Monitor function transfers operating system controls to the display viewing field
- Notebook Monitor Off function turns off the computer's primary display

Supported OS

- Windows® 10
- Mac OS® 10.X

Operating Temperature

- 0 – 40 °C (32 – 104 °F)

Operating Humidity

- Max. 90% non-condensing

Power

- USB powered

Dimensions

- 59 x 50 x 10.6 mm (2.3 x 1.9 x 0.4 in.)
- 60 mm (2.4 in.) cable length

Weight

- 90 g (3.2 oz.)

Warranty

- 2 year limited

Certifications

- CE
- FCC

Package Contents

- TUC-HDMI3
- Quick Installation Guide

