



## Low Loss RP-SMA Male to RP-SMA Female Antenna Cable - 2 m (6.5 ft.)

TEW-L102 (v1.0R)

- Extend your wireless antenna up to 2 meters (6.5 ft.)
- Provides optimal placement for your antenna
- Low loss cable with a max signal loss of 1.45 dB
- Compatible with directional and omni-directional RP-SMA antennas
- Wi-Fi compliant with 2.4 GHz & 5 GHz devices

TRENDnet's RP-SMA Male to RP-SMA Female Antenna Cable, model TEW-L102, extends your wireless antenna up to 2 meters (6.5 ft.) to provide optimal placement for your antenna. The TEW-L102 can be used with wireless routers, access points and adapters that feature a removable RP-SMA antenna.



#### Interface

RP-SMA jack (male) to RP-SMA plug (female)



#### Compatibility

Wi-Fi compliant with 2.4 GHz (802.11b/g/n) & 5 GHz (802.11a/n/ac) devices



#### Installation Flexibility

2 m (6.5 ft.) cable provides optimal placement for your antenna to maximize wireless performance



#### Low Signal Loss

Low loss cable with a maximum signal loss of 1.45 dB

## Specifications

#### Cable Length

- 2 m (6.5 ft.)

#### Connector Type

- RP-SMA jack (male) to RP-SMA plug (female)

#### Maximum Cable Loss

- 1.45 dB

#### Weight

- 82 g (2.9 oz.)

#### Operating Temperature

- -40 - 65 °C (-40 - 149 °F)

#### Storage Temperature

- -70 - 85 °C (-94 - 185 °F)

#### Package Contents

- TEW-L102