

# TP-Link TL-SG1024DE netwerk-switch Managed L2 Gigabit Ethernet (10/100/1000) Zwart

**Merk :** TP-Link

**Artikelcode:** TL-SG1024DE

**Productnaam :** TL-SG1024DE



TP-Link TL-SG1024DE. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24. Full duplex. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 48 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Rack-montage

Beheerfuncties		Beveiliging	
Switch type *	Managed	IGMP snooping	✓
Switch-laag	L2	<b>Design</b>	
Quality of Service (QoS)	✓	Rack-montage *	✓
<b>Poorten &amp; interfaces</b>		Kleur van het product	Zwart
Aantal basis-switching RJ-45 Ethernet-poorten *	24	LED-indicatoren	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Certificering	FCC, CE, RoHS
<b>Netwerk</b>		<b>Energie</b>	
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Vermogenstoevoer inclusief *	✓
10G support *	✗	AC-ingangsspanning	100 - 240 V
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	AC-ingangsfrequentie	50 - 60 Hz
Port mirroring	✓	Stroomverbruik (typisch)	14,19 W
Full duplex	✓	<b>Eisen aan de omgeving</b>	
Datastroombeheer	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Verbindingsaggregatie	✓	Temperatuur bij opslag	-40 - 70 °C
Broadcast stormbeheer	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Rate limiting	✓	Luchtvochtigheid bij opslag	5 - 90 procent
Auto MDI/MDI-X	✓	Warmtedissipatie	48,39 BTU/h
Aantal VLANs	32	<b>Gewicht en omvang</b>	
<b>Data-uitwisseling</b>		Breedte	294 mm
Switchingcapaciteit *	48 Gbit/s	Diepte	180 mm
Throughput	35,7 Mpps	Hoogte	44 mm
MAC-adrestabel *	8000 entries	<b>Verpakking</b>	
Store-and-forward	✓	Meegeleverde kabels	AC
Aantal wachtrijen	4	Gebruiksaanwijzing	✓
Jumbo Frames ondersteuning	✓	Type verpakking	Doos
Jumbo frames	10000	Rekbevestigingspakket	✓
Packet buffergeheugen	4,1 MB	<b>Logistieke gegevens</b>	
		Code geharmoniseerd systeem (HS) 85176990	

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-MAY-2023. Prints or copies of Information are only valid on the printed Publication date