USB 3.2 Gen 2 Type C Multiport Docking Station

User Manual



How to Connect

- Connect the docking station with a USB-C cable directly to your computer, no extra driver required.
- Connect your USB devices to any of the USB ports; HDMI, DisplayPort, and VGA for display devices; USB-C jack for extra power charging; RJ45 for network; SD/MicroSD for card reader;
 3.5mm jack for audio.

Diagram



Specification

- 2x USB 3.2 Gen1 port (Transfer Speed up to 5Gbps)
- 1x USB 2.0 port (Transfer Speed 480Mbps)
- 1x HDMI (max. 4K/30Hz)
- 1x VGA (max. 1920 x 1200/60Hz)
- 1x DisplayPort (max. 4K/30Hz)
- 1x Gigabit (max. 1000Mbps, connect notebook to the Internet / LAN)
- 1x PD Charging (20V/5A 100W)
- 1x Micro SD
- 1x SD
- 1x Audio/Mic--(3.5mm)
- Material: Aluminum + ABS
- Cable Length: 40cm
- Weight: 205±5g

Features

- Single HDMI output max resolution up to 4K30Hz.
- Single DisplayPort output max resolution up to 4K30Hz.
- Single VGA output max resolution up to 1920x1080P/60Hz.
- Dual video output (DP+HDMI, HDMI+VGA, DP+VGA) max resolution up to 1920x1080P/60Hz
 with Multi-Stream Transport (MST) technology.
- Three video output (DP+HDMI+VGA) max resolution up to 720P/60Hz with Multi-Stream Transport (MST).
- USB3.2 Gen1 A/F *2 support max data up to 5Gbps, and USB2.0 A /F supports max data up to 480Mbps.
- SD/ Micro SD slots compliant with SD3.0 data transmission speed up to 100Mbps.
- Supports 3.5mm audio output.
- Supports Ethernet Gigabit speed up to 10/100/1000Mbps.
- USB-C Female Power Delivery (PD) at 100W (20V/5A).
- Designed with detachable right-angled USB-C cable to perfectly fit into the USB-C port of your laptop.
- Silicon pads keep your laptop steady and scratch free.