

Product Highlights

Extend Your High-Speed Wireless Network

Extend your home wireless coverage and enjoy wireless connection speeds of up to 300 Mbps with Wireless N technology¹

More Than Just a Wi-Fi Extender

Create personal Wi-Fi hotspot or add Wi-Fi connectivity to computers, smart TVs and games consoles with Ethernet ports

Easy to Set Up

Set up in seconds without the need of a computer, simply plug it in, push the integrated WPS button and also on the router, and you're done



DAP-1325 N300 Wi-Fi Range Extender

Features

Connectivity

- Wireless N gives you high-speed wireless connectivity for your devices
- Wireless 802.11g backward compatibility
- Wireless speeds of up to 300 Mbps¹
- 10/100 Fast Ethernet Port

Security

- WPA2/WPA wireless encryption to keep your wireless connection secure
- Wi-Fi Protected Setup (WPS) for secure setup with the simple press of a button

Easy to Use

- One-piece wall plug design is compact, portable, and does not require additional power cables
- Built-in setup wizard and QRS Mobile app for mobile devices guide you through installation

The DAP-1325 N300 Wi-Fi Range Extender is a portable plug-in adapter that lets you extend an existing wireless network. Simply place it anywhere in your home to extend the range of your wireless network.

Extend Your Wireless Network

Increase the coverage of your home or office Wi-Fi network with wireless speeds of up to 300 Mbps¹, while still being backwards compatible with older wireless devices. Alternatively, use the built-in Fast Ethernet port to create a personal Wi-Fi hotspot in hotel rooms with wired Internet access whether you are away on holiday or business. You can also add Wi-Fi connectivity to computers, smart TVs and games consoles with Ethernet ports.

Easy to Set Up And Easy to Use

Setting up the N300 Wi-Fi Range Extender is simple. Just use the one-touch configuration function by pushing the WPS push-button on the DAP-1325 and on the router or wireless access point you want to extend, and the DAP-1325 will automatically configure itself for you. Alternatively, you can use the supported QRS Mobile app on your iPhone, iPad, or iPod touch, or Android mobile device to set up the DAP-1325 easily without needing a computer. The N300 Wi-Fi Range Extender even includes a built-in setup wizard that lets you configure it both wired and wirelessly with a PC or mobile device.

Compact And Convenient Design

The DAP-1325's compact design and intuitive setup makes it perfect for use at home or in a small office. Simply plug it in and use the visual signal indicator LED to find the best location to extend your network. Its diminutive wall-plug design saves you the hassle of dealing with a power cord and its sleek, unobtrusive appearance blends easily into the decor of any home or office.

Extend Your Wireless Network using Wi-Fi

Add Wireless to your Wired Ethernet Network



Technical Specifications

General					
Device Interfaces	802.11n/g Wireless LAN 10/100 Fast Ethernet Port		Reset Button WPS Button		
LEDs	Status/WPS		• 3 segment Wi-Fi signal strength indicator		
Standards	• IEEE 802.11n • IEEE 802.11g		• IEEE 802.3u		
Antennas	Two external antennas				
Plug Type	Region dependent				
Functionality					
Wireless Security	Wi-Fi Protected Access (WPA/WPA2)		• WPS (PBC)		
Advanced Features	D-Link One-Touch Extender Setup				
Device Management	Supports QRS Mobile app for iPhone, iPad, iPod touch, and Android mobile devices		• Web UI		
Physical					
Dimensions	• 97.9 x 50.7 x 48.7 mm (3.85 x 2.00 x 1.91 inches) ²				
Weight	• 97 grams (3.42 ounces)				
Power	• Input: 110 to 240 V AC, 50/60 Hz				
Temperature	• Operating: 0 to 40 °C (32 to 104 °F)		• Storage: -20 to 70 °C (-4 to 158 °F)		
Humidity	Operating: 10% to 9	Operating: 10% to 90% non-condensing		Storage: 5% to 90% non-condensing	
Certifications	• FCC • IC • CE	• RCM • IDA • CB	• LVD • UL • WPS	• Wi-Fi Certified • RoHS	

¹ Maximum wireless signal rate derived from the IEEE Standard 802.11n specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, may lower actual data throughput rate. Environmental factors may adversely affect wireless signal range. ² Dimensions do not include the regional plug type.



For more information: www.dlink.com

D-Link European Headquarters. D-Link (Europe) Ltd., D-Link House, Abbey Road, Park Royal, London, NW10 7BX. Specifications are subject to change without notice. D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners. ©2017 D-Link Corporation. All rights reserved. E&OE.

