Brother HLL3240CDWRE1 laser printer Colour 600 x 2400 DPI A4 Wi-Fi

Brand : Brother

Product name : HLL3240CDWRE1

Product code: HLL3240CDWRE1

Brother HLL3240CDWRE1. Print technology: LED, Colour. Maximum duty cycle: 3000 pages per month. Maximum resolution: 600 x 2400 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 26 ppm, Duplex printing. Display: LCD. Wi-Fi. Product colour: White

Printing

Duplex printing mode	Auto
Print speed (colour, normal quality, A4/US Letter)	26 ppm
Colour *	✓
Print technology *	LED
Duplex printing *	✓
Maximum resolution *	600 x 2400 DPI
Print speed (black, normal quality, A4/US Letter) *	26 ppm
Warm-up time	28 s
Time to first page (black, normal)	13.5 s

Features

Maximum duty cycle *	3000 pages per month
Printing colours *	Black, Cyan, Magenta, Yellow
Page description languages *	BR-Script 3, PCL 5c, PCL 5e, PCL 6, PDF 1.7

Input & output capacity

Total number of input trays *	1
Total input capacity *	250 sheets
Total output capacity *	150 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Bond paper, Envelopes, Labels, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9) *	B5
Non-ISO print media sizes	Executive, Legal, Letter
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	C5, Com-10, DL, Monarch
Paper tray media weight	60 - 163 g/m²

Network

Security algorithms	WPA2-AES, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA3-SAE, WPA-AES, WPA-PSK, WPA-TKIP
Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client, Syslog
Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print/Scan), Syslog

Performance

Internal memory *	256 MB
Sound pressure level (printing)	47 dB

Design

Market positioning *	Home & office
Product colour *	White
Built-in display *	✓
Display	LCD

Power

Power consumption (printing) *	520 W
Power consumption (max)	960 W
Power consumption (ready)	70 W
Power consumption (off)	0.04 W

Ports & interfaces

Direct printing *	✔
USB port *	✔
USB 2.0 ports quantity	1

Network

Wi-Fi *	✔
Ethernet LAN *	✔
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)

Power

Energy Star Typical Electricity Consumption (TEC)	0.4 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

Operational conditions

Operating temperature (T-T)	10 - 32 °C
Storage temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	35 - 85%

Weight & dimensions

Width	399 mm
Depth	399 mm
Height	239 mm
Weight	15.2 kg

Packaging data

Package width	488 mm
Package depth	488 mm
Package height	370 mm
Package weight	18 kg

4977766823753