



TP-Link ER605 v2 bedrade router Gigabit Ethernet Zwart

Merk : TP-Link

Artikelcode: TL-ER605 V2

Productnaam : ER605 v2

TP-Link ER605 v2. Netwerkstandaard: IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, Ethernet interface type: Gigabit Ethernet, Bekabelingstechnologie: 10/100/1000Base-T(X). Routing protocols: RIP-1, RIP-2, Beheerprotocollen: Telnet, Ondersteunde netwerkprotocollen: TCP/IP, DHCP, ICMP, NAT, PPPoE, SNTP, HTTP, DNS, IPsec, PPTP, L2TP. Ondersteunde beveiligingsalgoritmen: 3DES, 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, Autenticatiemethode: SHA-1, MD5, VPN eigenschappen: • 20 IPsec VPN Tunnels • LAN-to-LAN, Client-to-LAN • Main, Aggressive Negotiation Mode • Flash memory: 128 MB, Intern geheugen: 256 MB, Intern geheugentype: DRAM. Kleur van het product: Zwart, Rackcapaciteit: 1U, LED-indicatoren: Activiteit, LAN, Systeem, USB, WAN



WAN-verbinding		Beveiliging	
Ethernet WAN *	✓		<ul style="list-style-type: none"> • 20 IPsec VPN Tunnels • LAN-to-LAN, Client-to-LAN • Main, Aggressive Negotiation Mode • DES, 3DES, AES128, AES192, AES256 Encryption Algorithm • IKEv1/v2 • MD5, SHA1 Authentication Algorithm • NAT Traversal (NAT-T) • Dead Peer Detection (DPD) • Perfect Forward Secrecy (PFS) • PPTP VPN Server • 10 PPTP VPN Clients • 16 Tunnels • PPTP with MPPE Encryption • L2TP VPN Server • 10 L2TP VPN Clients • 16 Tunnels • L2TP over IPsec • OpenVPN Server • 10 OpenVPN Clients • 16 OpenVPN Tunnels • One-to-One NAT • Multi-Net NAT • Virtual Server • Port Triggering • NAT-DMZ • FTP/H.323/SIP/IPsec/PPTP ALG, UPnP
DSL WAN *	✗		
SIM-kaartsleuf *	✗		
3G/4G USB modem compatibiliteit *	✗		
Netwerk		VPN eigenschappen	
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x		
Ethernet interface type *	Gigabit Ethernet		
Bekabelingstechnologie	10/100/1000Base-T(X)		
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s		
VLAN=ondersteuning	✓		
Verkeerscontrole	✓		
Op beleid gebaseerde routing	✓		
Concurrent connections	150000		
Beheerfuncties		NAT functionaliteit	
Web-gebaseerd management *	✓		
Universal Plug and Play (UPnP)	✓		
Reset button	✓		
Poorten & interfaces		Technische details	
Aantal Ethernet LAN (RJ-45)-poorten *	5	Duurzaamheidscertificaten	RoHS
Aantal USB-aansluitingen	1	Kenmerken	
Protocollen		Flash memory	128 MB
DMZ support	✓	Intern geheugen	256 MB
Routing protocols	RIP-1, RIP-2	Intern geheugentype	DRAM
Beheerprotocollen	Telnet	Ondersteunt Windows	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
DHCP client *	✓	Ondersteunt Mac-besturingssysteem	MacOS
		Ondersteunt Linux	✓
		Certificering	CE, FCC, RoHS

Protocollen		Design	
DHCP server *	✓	Kleur van het product *	Zwart
Ondersteunde netwerkprotocollen	TCP/IP, DHCP, ICMP, NAT, PPPoE, SNMP, HTTP, DNS, IPsec, PPTP, L2TP	Rack-montage	✓
Ondersteunde protocollen	IPsec/PPTP/L2TP	Rackcapaciteit	1U
		LED-indicatoren	Activiteit, LAN, Systeem, USB, WAN
Beveiliging		Energie	
Ondersteunde beveiligingsalgoritmen *	3DES, 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1	Stroomverbruik (typisch) *	7,94 W
Firewall	✓	Type stroombron	AC
Authenticatiemethode	SHA-1, MD5	AC-ingangsspanning	120 - 240 V
URL- filtering	✓	AC-ingangsfrequentie	50 - 60 Hz
DoS aanval preventie	✓	Eisen aan de omgeving	
ARP-aanvalspreventie	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Network address translation (NAT)	✓	Temperatuur bij opslag	-40 - 70 °C
System event log	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
VPN tunnels quantity	20	Luchtvochtigheid bij opslag	5 - 90 procent
		Gewicht en omvang	
		Breedte	158 mm
		Diepte	101 mm
		Hoogte	25 mm
		Verpakking	
		Meegeleverde kabels	AC
		Gebruikershandleiding	✓
		Snelstartgids	✓
		Snelle installatiehandleiding	✓



6935364089597

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-MAY-2023. Prints or copies of Information are only valid on the printed Publication date