



TP-Link JetStream TL-SG2210MP netwerk-switch Managed L2/L2+ Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) 1U Zwart

Merk : TP-Link

Productfamilie: JetStream

Artikelcode: TL-SG2210MP

Productnaam : TL-SG2210MP



TP-Link JetStream TL-SG2210MP. Switch type: Managed, Switch-laag: L2/L2+. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 20 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ab, IEEE.... Power over Ethernet (PoE). Rack-montage, Vormfactor: 1U

Beheerfuncties		Beveiliging	
Switch type *	Managed	Ondersteunde beveiligingsalgoritmen	EAP-LEAP, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, SNMP, SNMPv2, SNMPv3, SSH, SSH-2, SSL/TLS
Switch-laag	L2/L2+	SSH/SSL support	✓
Quality of Service (QoS)	✓	BPDU filtering / bescherming	✓
Web-gebaseerd management	✓	IP-MAC-Port binding	✓
Cloud-beheerd	✓	Algoritmen wachtrijplanning	SP, Weighted Round Robin (WRR)
ARP-inspectie	✓	Multicast-functies	
Locatie-instellingen (CLI) configureren	✓	Multicast-ondersteuning	✓
System event log	✓	Protocollen	
MIB-ondersteuning	RFC2925, RFC2618, RFC2620, RFC2021, RFC2819, RFC2674, RFC1213, RFC2233, RFC1643, RFC1493	Beheerprotocollen	SNMPv1/v2c/v3, SNMP
Poorten & interfaces		Design	
Aantal basis-switching RJ-45 Ethernet-poorten *	8	Rack-montage *	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Vormfactor	1U
Aantal Gigabit Ethernet (koper)-poorten	8	Kleur van het product	Zwart
Aantal moduleslots SPF	2	Aantal ventilatoren	1 ventilator(en)
Netwerk		Certificering	CE, FCC, RoHS
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Energie	
10G support *	✗	Stroombron *	AC
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Vermogenstoevoer inclusief *	✓
Port mirroring	✓	AC-ingangsspanning	100 - 240 V
Datastroombeheer	✓	AC-ingangsfrequentie	50/60 Hz
Verbindingsaggregatie	✓	Vermogensverbruik (max)	173,9 W
		Power over Ethernet (PoE)	
		Power over Ethernet (PoE) *	✓
		Aantal Power over Ethernet plus (PoE +)-poorten	8
		Totaal Power over Ethernet (PoE)-budget	150 W
		Eisen aan de omgeving	
		Bedrijfstemperatuur (T-T)	0 - 50 °C

Netwerk		Eisen aan de omgeving	
Broadcast stormbeheer	✓	Temperatuur bij opslag	-40 - 70 °C
Rate limiting	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Spanning tree protocol	✓	Luchtvochtigheid bij opslag	5 - 90 procent
VLAN=ondersteuning	✓	Warmtedissipatie	594,46 BTU/h
Virtuele LAN-functies	MAC address-based VLAN, Multicast VLAN, Protocol-based VLAN, Tagged VLAN, Voice VLAN	Gewicht en omvang	
Aantal VLANs	4000	Breedte	294 mm
Optische vezel		Diepte	180 mm
Fiber ethernet cabling technologie	100BASE-FX, 1000BASE-X	Hoogte	44 mm
Data-uitwisseling		Verpakking	
Switchingcapaciteit *	20 Gbit/s	Breedte verpakking	250 mm
Verzending snelheid	14,9 Mpps	Diepte verpakking	400 mm
MAC-adrestabel *	8000 entries	Hoogte verpakking	80 mm
Aantal wachtrijen	8	Gewicht verpakking	2,12 kg
Jumbo Frames ondersteuning	✓	Logistieke gegevens	
Jumbo frames	9000	Code geharmoniseerd systeem (HS) 85176990	
Packet buffergeheugen	4,1 MB		
Beveiliging			
DHCP-functies	DHCP client, DHCP relay, DHCP server, DHCP snooping, DHCPv6 client, DHCPv6 snooping		
Access Control List (ACL)	✓		
IGMP snooping	✓		



6935364030681



0845973088675



845973088675

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.