

ZYXEL

Zyxel GS1900-10HP Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Black

Brand : Zyxel

Product code: GS1900-10HP-EU0102F

Product name : GS1900-10HP

8-port, GbE, Managed, PoE, GbE Uplink, Switching capacity (Gbps) 20, SFP 100/1000 Mbps x 2
Zyxel GS1900-10HP. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8, Console port: RJ-45. MAC address table: 8000 entries, Switching capacity: 20 Gbit/s. Networking standards: IEEE 802.1D, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3at, IEEE.... Power over Ethernet (PoE). Wall mountable



Management features		Design	
Switch type *	Managed	Rack mounting *	✗
Switch layer	L2	Product colour	Black
Quality of Service (QoS) support	✓	LED indicators	✓
Web-based management	✓	Wall mountable	✓
System event log	✓	Certification	CE, FCC, RCM, Class A, BSMI CNS 13438, LVD EN 62368-1, BSMI CNS 14336-1
MIB support	RFC 1213 MIB II, RFC 2819 RMON (group 1, 2, 3, 9), RFC 1215 generic traps, RFC 1493 bridge		
Ports & interfaces		Performance	
Basic switching RJ-45 Ethernet ports quantity *	8	Mean time between failures (MTBF)	800259 h
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power	
SFP module slots quantity	2	Power source *	AC
Console port	RJ-45	Power supply included *	✓
		AC input voltage	100 - 240 V
		AC input frequency	50 - 60 Hz
		Power consumption (max)	95.3 W
Network		Power over Ethernet (PoE)	
Networking standards *	IEEE 802.1D, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE) *	✓
10G support *	✗	Power over Ethernet (PoE) ports quantity	8
Copper ethernet cabling technology	10BASE-T, 100BASE-T, 1000BASE-T	Total Power over Ethernet (PoE) budget	77 W
VLAN support	✓	Operational conditions	
Virtual LAN features	Voice VLAN	Operating temperature (T-T)	0 - 40 °C
Data transmission		Storage temperature (T-T)	-40 - 70 °C
Switching capacity *	20 Gbit/s	Operating relative humidity (H-H)	10 - 95%
Throughput	14.88 Mpps	Storage relative humidity (H-H)	10 - 95%
MAC address table *	8000 entries	Weight & dimensions	
Jumbo frames	9000	Width	250 mm
Security		Depth	104 mm
DHCP features	DHCP client	Height	27 mm
IGMP snooping	✓	Weight	720 g
Security algorithms	802.1x RADIUS, SSL/TLS		

Security		Packaging data	
MAC address filtering	✓	Cables included	AC
Protocols			
Management protocols	SNMP, RMON, ICMP, Syslog		



4718937621200

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-SEP-2023. Prints or copies of Information are only valid on the printed Publication date