

ZYXEL

Zyxel XGS2210-52 Managed L2 Gigabit Ethernet (10/100/1000) 1U Zwart



Merk : Zyxel

Artikelcode: XGS2210-52-EU0101F

Productnaam : XGS2210-52

Zyxel XGS2210-52. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 48. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 176 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE.... Rack-montage, Vormfactor: 1U

Beheerfuncties		Multicast-functies	
Switch type *	Managed	Multicast-ondersteuning	✓
Switch-laag	L2	Design	
Quality of Service (QoS)	✓	Rack-montage *	✓
Web-gebaseerd management	✓	Stapelbaar *	✓
Traffic shaping	✓	Vormfactor	1U
ARP-inspectie	✓	Kleur van het product	Zwart
System event log	✓	Veiligheid	LVD, BSMI
MIB-ondersteuning	RFC 1066, RFC 1213, RFC 1493, RFC 1643, RFC 1757, RFC 2011, RFC 2233, RFC 2358, RFC 2674, RFC 2819, RFC 2925, RFC 3621, RFC 4022, RFC 4113, RFC 4292, RFC 4293	Elektromagnetische compatibiliteit	FCC 15 (A), CE (A), BSMI
		Prestatie	
Poorten & interfaces		Geluidsniveau	44,15 dB
		Plug and play	✓
		Mean time between failures (MTBF)	970594 uur
Aantal basis-switching RJ-45 Ethernet-poorten *		Energie	
		AC-ingangsspanning	100 - 240 V
Type basis-switching RJ-45 Ethernet-poorten *		AC-ingangsfrequentie	50 - 60 Hz
Aantal moduleslots SPF+		Vermogensverbruik (max)	45 W
Netwerk		Power over Ethernet (PoE)	
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power over Ethernet (PoE) *	✗
		Eisen aan de omgeving	
10G support *	✓	Bedrijfstemperatuur (T-T)	0 - 50 °C
Port mirroring	✓	Temperatuur bij opslag	-40 - 70 °C
IP routing	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 95 procent
Datastroombeheer	✓	Luchtvochtigheid bij opslag	10 - 90 procent
Verbindingsaggregatie	✓	Warmtedissipatie	153,3 BTU/h
Broadcast stormbeheer	✓	Gewicht en omvang	
Rate limiting	✓	Breedte	441 mm
Spanning tree protocol	✓	Diepte	270 mm
MAC-adres zelflerende functie	✓	Hoogte	45 mm
VLAN=ondersteuning	✓	Gewicht	3,86 kg
Virtuele LAN-functies	Private VLAN, Protocol-based VLAN, Port-based VLAN	Inhoud van de verpakking	
		Meegeleverde kabels	AC
		Rekbevestigingspakket	✓
		Verpakking	
		Breedte verpakking	622 mm

Data-uitwisseling		Verpakking	
Switchingcapaciteit *	176 Gbit/s	Diepte verpakking	358 mm
Throughput	130,9 Mpps	Hoogte verpakking	108 mm
MAC-adrestabel *	16000 entries	Gewicht verpakking	4,92 kg
Aantal wachtrijen	8	Certificaten	
Jumbo Frames ondersteuning	✓	Certificering	RoHS
Jumbo frames	9000	Logistieke gegevens	
Packet buffergeheugen	1,5 MB	Code geharmoniseerd systeem (HS) 85176990	
Beveiliging			
DHCP-functies	DHCP client		
Access Control List (ACL)	✓		
IGMP snooping	✓		
Ondersteunde beveiligingsalgoritmen	802.1x RADIUS, SNMP, SSH, SSH-2		
MAC adres filtering	✓		
SSH/SSL support	✓		
BPDU filtering / bescherming	✓		
Authenticatie	MAC-gebaseerde authenticatie		



4718937587902

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.