

Zyxel GS1915-8EP Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Zwart

Merk : Zyxel

Artikelcode: GS1915-8EP-EU0101F

Productnaam : GS1915-8EP

Zyxel GS1915-8EP. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. Full duplex. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 16 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.1x, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE.... Netstekker: AC-in-aansluiting. Power over Ethernet (PoE)



Beheerfuncties		Design	
Switch type *	Managed	LED-indicatoren	✓
Switch-laag	L2	Elektromagnetische compatibiliteit	LVD EN60950-1, BSMI CNS14336-1
Quality of Service (QoS)	✓	Certificering	CE, FCC, C-Tick, Class A, Class B, BSMI CNS13438
Web-gebaseerd management	✓	Prestatie	
System event log	✓	Mean time between failures (MTBF)	1641000 uur
MIB-ondersteuning	RFC 1213 MIB II, RFC 2819, RFC 1215, RFC 1493	Energie	
Poorten & interfaces		Stroombron *	AC
Aantal basis-switching RJ-45 Ethernet-poorten *	8	AC-ingangsspanning	200 - 240 V
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	AC-ingangsfrequentie	50 - 60 Hz
Aantal Gigabit Ethernet (koper)-poorten	8	Vermogensverbruik (max)	72 W
Netstekker	AC-in-aansluiting	Power over Ethernet (PoE)	
Netwerk		Power over Ethernet (PoE) *	✓
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.1x, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Hoeveelheid Power over Ethernet (PoE) ports	8
10G support *	✗	Totaal Power over Ethernet (PoE)-budget	60 W
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Eisen aan de omgeving	
Full duplex	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Datastroombeheer	✓	Temperatuur bij opslag	-40 - 70 °C
Broadcast stormbeheer	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 95 procent
Rate limiting	✓	Luchtvochtigheid bij opslag	10 - 95 procent
Auto MDI/MDI-X	✓	Warmtedissipatie	245,52 BTU/h
VLAN=ondersteuning	✓	Gewicht en omvang	
Aantal VLANs	8	Breedte	250 mm
Data-uitwisseling		Diepte	104 mm
Switchingcapaciteit *	16 Gbit/s	Hoogte	27 mm
Verzending snelheid	11,9 Mpps	Gewicht	620 g
MAC-adrestabel *	8000 entries	Verpakking	
Jumbo Frames ondersteuning	✓	Meegeleverde kabels	AC
Jumbo frames	9000	Snelstartgids	✓
Packet buffergeheugen	0,525 MB	Gebruiksaanwijzing	✓
Beveiliging		Gebruikershandleiding	✓
IGMP snooping	✓	Breedte verpakking	302 mm
MAC adres filtering	✓	Diepte verpakking	227 mm
		Hoogte verpakking	64 mm
		Gewicht verpakking	1,4 kg

Beveiliging		Logistieke gegevens	
SSH/SSL support	✓	Code geharmoniseerd systeem (HS) 85176990	
Multicast-functies			
Multicast-ondersteuning	✓		
Protocollen			
Beheerprotocollen	SNMP v1,v2,v3, RMON (1,2,3,9)		
Design			
Kleur van het product	Zwart		



4718937621934

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-MAY-2023. Prints or copies of Information are only valid on the printed Publication date