

Brother DCP-L2627DW multifunction printer Laser A4 1200 x 1200 DPI 32 ppm Wi-Fi

Brand : Brother **Product code:** DCP-L2627DW

Product name : DCP-L2627DW

Brother DCP-L2627DW. Print technology: Laser, Printing: Mono printing, Maximum resolution: $1200 \times 1200 \text{ DPI}$. Copying: Mono copying, Maximum copy resolution: $600 \times 600 \text{ DPI}$. Scanning: Mono scanning, Optical scanning resolution: $600 \times 600 \text{ DPI}$. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Black





| Printing | | Paper handling | |
|---|---|--|---|
| Duplex printing mode Auto Print technology * Laser Printing * Mono Duplex printing * | | Envelopes sizes Custom media width Custom media length | C5, Com-10, DL, Monarch 76.2 - 215.9 mm 127 - 355.6 mm |
| Maximum resolution * | 1200 x 1200 DPI | Ports & interfaces | |
| Print speed (black, normal quality, A4/US Letter) * | 32 ppm | USB port USB 2.0 ports quantity | 1 |
| Duplex print speed (black, normal quality, A4/US Letter) | 16 ppm | Network Wi-Fi * | √ |
| Time to first page (black, normal) N-in-1 print function Watermark printing Poster printing function | 8.5 s ✓ ✓ | Ethernet LAN * Wi-Fi standards Wi-Fi Direct | X 802.11b, 802.11g, Wi-Fi 4 (802.11n ✓ ARP, RARP, BOOTP, DHCP, APIPA |
| Copying * Copying * Maximum copy resolution * N-in-1 copy function | Mono copying 600 x 600 DPI ✓ | Supported network protocols (IPv4) | (AutolP), WINS/NetBIOS name resolution, DNSResolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SNTPClient, IPP/IPPS, FTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS |
| Scanning * | Mono scanning | | Server, TFTP client, TFTP server, ICMP, Web Services (Print), Web Services (Scan), SMTP Client |
| Optical scanning resolution * Optical scanning resolution (ADF) Scanner type * Scan technology Scan to Image formats supported Document formats supported | 600 x 600 DPI 19200 x 19200 DPI Flatbed scanner CIS E-mail, Image, OCR JPEG, TIFF PDF | Supported network protocols (IPv6) | NDP, RA, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port / Port9100, IPP/IPPS, SMTP Client, FTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS Server, TFTP client, TFTP server, ICMPv6, Web Services (Print), Web Services(Scan), SNTP Client Apple AirPrint, Brother iPrint & Scan |
| Input colour depth | 30 bit | Mobile printing technologies | Mopria Print Service |
| Output colour depth Input greyscale depth | 24 bit 10 bit | Performance | |
| Output greyscale depth Scan drivers | 8 bit TWAIN, WIA | Internal memory * Sound pressure level (printing) | 128 MB 49 dB |

| Fax | | Design | |
|--|---|--|---|
| Faxing * Features | × | Product colour * Market positioning * Built-in display * Display Control type | Black Workgroup |
| Maximum duty cycle * Duplex functions * Number of print cartridges * | imum duty cycle * 2500 pages per month elex functions * Print | | ✓ LCD Buttons |
| Printing colours * | Black | Power | |
| Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Manual feeder | 1 250 sheets 120 sheets | Power consumption (printing) Power consumption (copying) Power consumption (ready) Power consumption (sleep) Energy Star Typical Electricity Consumption (TEC) | 470 W 480 W 43 W |
| | | | 4.1 W 0.39 kWh/week |
| Paper handling | | Operational conditions | |
| Plain paper, Recycle paper | Bond paper, Envelopes, Labels, Plain paper, Recycled paper, Thin | Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) Storage relative humidity (H-H) | 20 - 80% 0 - 40 °C 10 - 32.5 °C 35 - 85% |
| ISO B-series sizes (B0B9) | B5 Letter | Weight & dimensions | |
| Non-ISO print media sizes Let | | Width Depth Height Weight | 410 mm 399 mm 272 mm 10.1 kg |
| | | Packaging data | |
| | | Package width Package depth Package height Package weight | 580 mm 517 mm 434 mm 12.6 kg |
| | | Packaging content | |
| | | Cables included | AC |



4977766831338

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.