



TP-Link Deco X50-Outdoor Dual-band (2.4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Wit 1 Intern

Merk : TP-Link

Artikelcode: DECO X50-OUTDOOR(1-PACK)

Productnaam : Deco X50-Outdoor

TP-Link Deco X50-Outdoor. Kleur van het product: Wit, Soort antenne: Intern, Type product: Mesh-systeem. Wifi-band: Dual-band (2.4 GHz / 5 GHz), Wifi-standaard: Wi-Fi 6 (802.11ax), Wi-Fi-standaarden: Wi-Fi 6 (802.11ax). Virtuele assistent: Amazon Alexa & Google Assistant, Ondersteunde Cloud-diensten: TP-Link ID. AC-adaptor ingangsspanning: 100-240 V, AC-adaptorfrequentie: 50/60 Hz, Ingangsstroom AC-adaptor: 0,5 A. Breedte: 110 mm, Diepte: 121,3 mm, Hoogte: 215,5 mm



Design		Kenmerken	
Type product	Mesh-systeem	Virtuele assistent	Amazon Alexa & Google Assistant
Kleur van het product *	Wit	Quality of Service (QoS)	✓
Soort antenne *	Intern	Ondersteunde Cloud-diensten	TP-Link ID
Maximale dekking	230 m ²	Port forwarding	✓
Bedrijfstemperatuur (T-T)	-30 - 60 °C	Aantal gastnetwerken (5 GHz)	1
Temperatuur bij opslag	-40 - 70 °C	Aantal gastnetwerken (2.4 GHz)	1
Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent	Ouderlijk toezicht	✓
Luchtvochtigheid bij opslag	5 - 90 procent	Werkt met Amazon Alexa	✓
Certificering	CE, FCC, RoHS	MU-MIMO-technologie	✓
		MIMO	✓
Draadloos LAN		Protocollen	
Wifi-band *	Dual-band (2.4 GHz / 5 GHz)	DHCP client	✓
Wifi-standaard *	Wi-Fi 6 (802.11ax)	DHCP server	✓
Wi-Fi-standaarden	Wi-Fi 6 (802.11ax)	Universal Plug and Play (UPnP)	✓
WLAN gegevensoverdrachtsnelheid (eerste band)	2402 Mbit/s	Poorten & interfaces	
WLAN gegevensoverdrachtsnelheid (tweede band)	574 Mbit/s	Aantal Ethernet LAN (RJ-45)-poorten *	1
Netwerkstandaard	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Power over Ethernet (PoE)	✓
Ondersteunde beveiligingsalgoritmen	WPA, WPA2, WPA3	Ethernet WAN	✓
Point-to-Point Protocol over Ethernet (PPPoE)	✓	Energie	
Dynamisch IP-adres	✓	AC-adaptor ingangsspanning	100-240 V
Statische IP	✓	AC-adaptorfrequentie	50/60 Hz
IGMP-proxy	✓	Ingangsstroom AC-adaptor	0,5 A
IGMP snooping	✓	Gewicht en omvang	
Tag-based VLAN	✓	Breedte	110 mm
		Diepte	121,3 mm
		Hoogte	215,5 mm

Draadloos LAN		Inhoud van de verpakking	
Dynamic DNS (DDNS)	✓	Aantal producten inbegrepen	1 stuk(s)
Toegang voor gasten	✓	Inclusief AC-adapter	✓
Bedieningsapps ondersteund	TP-Link Deco	Ethernetkabel	✓
Kenmerken			
Type processor	✗		




4897098688564



4897098688571



0840030708565



840030708565

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.