



TP-Link 2.4GHz 300Mbps 9dBi Outdoor CPE 300 Mbit/s Wit Power over Ethernet (PoE)

Merk : TP-Link

Artikelcode: CPE210

Productnaam : 2.4GHz 300Mbps 9dBi Outdoor CPE

TP-Link 2.4GHz 300Mbps 9dBi Outdoor CPE. Maximale overdrachtssnelheid van gegevens: 300 Mbit/s, Maximale overdrachtssnelheid van gegevens (2.4 GHz): 300 Mbit/s, Frequentieband: 2.4 - 2.483 GHz. Ondersteunde beveiligingsalgoritmen: 64-bit WEP, 128-bit WEP, 152-bit WEP, SSID, TKIP, WPA, WPA-PSK, WPA2, WPA2-PSK. Beheerprotocollen: TDMA. Beheerplatform: Pharos Control. AC-ingangsspanning: 100 - 240 V, AC-ingangsfrequentie: 50 - 60 Hz, Stroom: 0.8 A



Kenmerken		Design	
2,4 GHz *	✓	Plaatsing *	Muur
5 GHz *	✗	Kleur van het product *	Wit
Maximale overdrachtssnelheid van gegevens *	300 Mbit/s	Internationale veiligheidscode (IP)	IPX5
Maximale overdrachtssnelheid van gegevens (2.4 GHz)	300 Mbit/s	Reset button	✓
Frequentieband	2.4 - 2.483 GHz	LED-indicatoren	✓
Bandbreedte	2,4 GHz	Certificering	- FCC/UL/IC/GS/PSB/C-tick/SAA/S-Mark/KC-mark - RoHS, IPX5
Netwerkstandaard	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Antenne	
MIMO	✓	Soort antenne *	Intern
MIMO-type	Multi User MIMO	Antennefuncties	Ingebouwde antenne
Maximum outdoorbereik	5000 m	Antennas quantity	1
Gevoeligheid ontvanger	802.11b: 11M: -95dBm, 5.5M: -96dBm, 2M: -96dBm, 1M: -96dBm -802.11g: 54M: -79dBm, 48M: -80dBm, 36M: -84dBm, 6-24M: -88dBm 802.11n: MCS15: -76dBm, MCS14: -78dBm, MCS13: -80dBm, MCS12: -84dBm, MCS11: -87dBm, MCS10: -91dBm, MCS9: -93dBm, MCS8: -96dBm, MCS7: -76dBm, MCS6: -78dBm, MCS5: -80dBm, MCS4: -84dBm, MCS3: -87dBm, MCS2: -91dBm, MCS1: -93dBm, MCS0: -96dBm	Antenne versterkingsniveau (max)	9 dBi
Beveiliging		Prestatie	
Ondersteunde beveiligingsalgoritmen *	64-bit WEP, 128-bit WEP, 152-bit WEP, SSID, TKIP, WPA, WPA-PSK, WPA2, WPA2-PSK	Type processor	✓
MAC adres filtering	✓	Processormodel	Qualcomm Atheros
Protocollen		Frequentie van processor	560 MHz
Beheerprotocollen	TDMA	Flash memory	8 MB
Beheerfuncties		Intern geheugen	64 MB
Web-gebaseerd management	✓	Compatibele besturingssystemen	Microsoft Windows 98SE, NT, 2000, XP, Vista or Windows 8, Windows 7, MAC OS, NetWare, UNIX or Linux.
Beheerplatform	Pharos Control	Gewicht en omvang	
Poorten & interfaces		Breedte	224 mm
Aantal Ethernet LAN (RJ-45)-poorten *	1	Diepte	79 mm
		Hoogte	60 mm
		Inhoud van de verpakking	
		Meegeleverde kabels	AC
		Montage gereedschap	✓
		Eisen aan de omgeving	
		Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
		Bedrijfstemperatuur (T-T)	-30 - 70 °C
		Temperatuur bij opslag	-40 - 70 °C
		Luchtvochtigheid bij opslag	5 - 95 procent
		Logistieke gegevens	
		Code geharmoniseerd systeem (HS)	85176990

Energie

Power over Ethernet (PoE) *	✓
AC-ingangsspanning	100 - 240 V
AC-ingangsfrequentie	50 - 60 Hz
Stroom	0.8 A
Spanning	24 V
Output current	1 A
Vermogensverbruik (max)	10,5 W

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-MAY-2023. Prints or copies of Information are only valid on the printed Publication date