

## Intel Xeon w7-3465X processor 2.5 GHz 75 MB Smart Cache Box

**Brand :** Intel

**Product family:** Xeon

**Product code:** BX807133465X

**Product name :** w7-3465X

BX807133465X

Intel Xeon w7-3465X. Processor family: Intel Xeon W, Processor socket: FCLGA4677, Processor manufacturer: Intel. Memory channels: Octa-channel, Maximum internal memory supported by processor: 4000 GB, Memory types supported by processor: DDR4-SDRAM. Market segment: Workstation, Use conditions: Workstation, Supported instruction sets: SSE4.1, AMX, SSE4.2, AVX 2.0, AVX-512. Intel® Turbo Boost Max Technology 3.0 frequency: 4.8 GHz, Intel® Turbo Boost Technology 2.0 frequency: 4.6 GHz, Intel® QuickAssist Technology (QAT): 0 default devices. Package type: Retail box



Processor		Processor special features	
Processor manufacturer *	Intel	Intel® Control-flow Enforcement Technology (CET)	✓
Processor model *	w7-3465X	Intel® Platform Firmware Resilience Support	✓
Processor base frequency *	2.5 GHz	Intel VT-x with Extended Page Tables (EPT)	✓
Processor family *	Intel Xeon W	Intel® Active Management Technology (Intel® AMT)	✓
Processor cores *	28	Intel® OS Guard	✓
Processor socket *	FCLGA4677	Intel Software Guard Extensions (Intel SGX)	✗
Processor threads	56	Intel 64	✓
Processor operating modes *	64-bit	Intel Virtualization Technology (VT-x)	✓
Performance cores	28	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Processor boost frequency	4.8 GHz	Intel Turbo Boost Max Technology 3.0	✓
Processor cache	75 MB	AVX-512 Fused Multiply-Add (FMA) units	2
Processor cache type	Smart Cache	Intel® Boot Guard	✓
Box *	✓	Intel® Deep Learning Boost (Intel® DL Boost)	✓
Processor base power	300 W	Intel® Resource Director Technology (Intel® RDT)	✗
Maximum turbo power	360 W	Mode-based Execute Control (MBE)	✓
Stepping	E5	Intel® Optane™ DC Persistent Memory Supported	✗
Bus type	DMI4	Intel® vPro™ Platform Eligibility	✓
Processor codename	Sapphire Rapids	Intel® One-Click Recovery	✗
Processor ARK ID	233417	Intel® Remote Platform Erase (RPE)	✗
Memory		Intel® Virtualization Technology with Redirect Protection (VT-rp)	✓
Maximum internal memory supported by processor	4000 GB	Intel vPro® Enterprise Platform Eligibility	✓
Memory types supported by processor	DDR4-SDRAM	Intel® Threat Detection Technology (TDT)	✗
Memory channels *	Octa-channel	Intel® Total Memory Encryption - Multi Key	✗
ECC	✓	Intel® QuickAssist Software Acceleration	✗
Graphics		Intel® QuickAssist Technology (QAT)	0 default devices
On-board graphics card *	✗	Intel® Dynamic Load Balancer (DLB)	0 default devices
Discrete graphics card *	✗		
On-board graphics card model *	Not available		
Discrete graphics card model *	Not available		
Features			
Execute Disable Bit	✓		
Market segment	Workstation		
Use conditions	Workstation		
Maximum number of PCI Express lanes	112		
PCI Express slots version	5.0		

Features		Processor special features	
Supported instruction sets	SSE4.1, AMX, SSE4.2, AVX 2.0, AVX-512	Intel® Data Streaming Accelerator (DSA)	1 default devices
Scalability	1S	Intel® In-memory Analytics Accelerator (IAA)	0 default devices
CPU configuration (max)	1	Intel® Advanced Matrix Extensions (AMX)	✓
Embedded options available	✗	Operational conditions	
Direct Media Interface (DMI) Revision	4.0	Tcase	75 °C
Export Control Classification Number (ECCN)	5A992C	DTS Max	97 °C
Commodity Classification Automated Tracking System (CCATS)	G180729	Technical details	
Processor special features		Launch date	Q1'23
Intel® Hyper Threading Technology (Intel® HT Technology)	✓	Status	Launched
Intel® Turbo Boost Technology	2.0	Supported memory types	DDR4-SDRAM
Intel® AES New Instructions (Intel® AES-NI)	✓	Memory speed (max)	4800 MHz
Enhanced Intel SpeedStep Technology	✓	Package carrier	E1A
Intel Trusted Execution Technology	✓	Logistics data	
Intel® Speed Shift Technology	✓	Harmonized System (HS) code	8542310001
Intel® Turbo Boost Max Technology 3.0 frequency	4.8 GHz	Packaging data	
Intel® Turbo Boost Technology 2.0 frequency	4.6 GHz	Package type	Retail box
Intel® Transactional Synchronization Extensions	✓	Weight & dimensions	
Intel® Total Memory Encryption	✓	Processor package size	77.5 x 56.5 mm
		Other features	
		Maximum internal memory	4000 GB



5032037266239

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-APR-2023. Prints or copies of Information are only valid on the printed Publication date