

# STANDARD UTP Patch Cord Cat.5e (Class D), beige, 5 m

Product No.

11.55.1405


SECOMP®

Manufacturer

SECOMP

Manufacturer No.

11.55.1405



**Pre-assembled Cat.5e (Class E) U/UTP Patch Cord with RJ-45 connectors and kink protection - ideal for LAN environments, patch panels, and to connect end-user devices like computers.**

- Patch Cord for networking connections between devices.
- Prepared unshielded Twisted Pair cable with RJ-45 connectors on both ends.
- Durable due to moulded kink protection.
- Flexible cable, suitable for narrow bending.
- Contact settings 1:1, in accordance with the EIA/TIA 568 standard.
- Construction: 4-pair stranded wire.

| Technical specifications |                    |
|--------------------------|--------------------|
| Manufacturer             | SECOMP             |
| Product group            | Twisted Pair Cable |
| Product type             | U/UTP patch cord   |
| Colour                   | beige              |
| Length                   | 5 m                |
| Scope of delivery        | Patch Cord         |

|                                       |                            |
|---------------------------------------|----------------------------|
| Shield type                           | U/UTP                      |
| Transfer quality                      | Cat5e / Class D            |
| Impedance                             | 100 Ohm                    |
| Quantity of wires                     | 8                          |
| Conductor cross section<br>(AWG)      | AWG 26                     |
| Inner conductor material              | CCA (Copper Clad Aluminum) |
| Conductor type                        | Stranded                   |
| Crossed                               | no                         |
| Bend radius                           | 36,8 mm                    |
| Assignment                            | 1:1                        |
| Locking lever                         | no                         |
| Anti-kink sleeve                      | Moulded-on                 |
| Colour (Spout)                        | beige                      |
| External cable diameter               | 4,6 mm +/- 0,3 mm          |
| Cable LSOH                            | no                         |
| Material (external cable<br>mantle)   | PVC                        |
| Side 1 Connector Type                 | RJ-45                      |
| Side 1 Connector<br>Gender            | Male                       |
| Side 2 Connector Type                 | RJ-45                      |
| Side 2 Connector<br>Gender            | Male                       |
| Connector Type RJ45                   | Standard                   |
| Weight                                | 83 g                       |
| Height of packaging<br>(single piece) | 20 mm                      |
| Width of packaging<br>(single piece)  | 100 mm                     |
| Depth of packaging<br>(single piece)  | 100 mm                     |

|                               |        |
|-------------------------------|--------|
| Package weight (single piece) | 0.1 kg |
|-------------------------------|--------|