

ROLINE USB 3.2 Gen 2 to Gigabit Ethernet Converter

Product No.	12.02.1109
Manufacturer	ROLINE
Manufacturer No.	12.02.1109
EAN (single piece)	7611990131068



With this converter you connect your PC or notebook with USB 3.1 / USB 3.2 Gen 2 Type C interface to a Gigabit Ethernet network.

This converter is a cost effective solution to convert a USB 3.1 / USB 3.2 Gen 2 port into a 10/100/1000Base-T Ethernet port

- Supports 10/100/1000 Mbit/s auto-sensing capability
- Supports USB 3.1 / USB 3.2 Gen 2
- Type C Connector
- Bus powered
- Supports both full-duplex and half-duplex operation in Gigabit Ethernet
- Supports Windows XP/Vista/7/8/10, Mac OS X

Note: According to the current specifications of USB.org we have adapted the technical data of our USB 3 products. The new designation for the already known USB specifications has been changed to USB 3.2 Gen 1 (formerly USB 3.0 / USB 3.1 Gen 1) and USB 3.2 Gen 2 (formerly USB 3.1 / USB 3.1 Gen 2).

Technical specifications	
Manufacturer	ROLINE
Product group	Network adapters
Product type	Gigabit Ethernet Converter
Colour	white
Scope of delivery	Converter, manual

BUS system	USB
Network standard	Gigabit Ethernet
LAN (Mbps)	10/100/1000
Quantity of ports	1
Connection ports	1x RJ-45 F, 1x USB 3.0 Type C M
Side 1 Connector Type	USB Type C (USB-C)
Side 1 Connector Gender	Male
Side 2 Connector Type	RJ-45
Side 2 Connector Gender	Female
Full duplex	yes
Wake on LAN	no
Network topology	Ethernet
Operating System	Windows XP / 7 / 8, Mac OS 10
Dimensions (HxWxD)	16 x 26 x 60 mm
Power supply	Power supply via USB
Operating temperature min.	0 °C
Operating temperature max.	45 °C
Height	16 mm
Width	26 mm
Depth	60 mm
Weight	21.04 g
Height of packaging (single piece)	20 mm
Width of packaging (single piece)	110 mm
Depth of packaging (single piece)	230 mm

Package weight (single piece)	0.05 kg
-------------------------------	---------