

ROLINE Colocation Cabinet 45U 800x1000mm, 2 compartments, gray

Product No.	26.21.0341
Manufacturer	ROLINE
Manufacturer No.	26.21.0341
EAN (single piece)	7630049603639



ROLINE 19-inch colocation server cabinet with separate lockable compartments, high load capacity, perforated doors and professional cable management.

The high-quality ROLINE 19" colocation cabinet combines maximum stability, optimal air circulation, and professional cable management in a modular system. The front and rear doors, which are 80% perforated, enable efficient cooling and make the cabinet ideal for hot/cold aisle applications.

With a static load capacity of up to 1,500 kg and a dynamic load capacity of 1,400 kg, it offers reliable safety even for demanding server and network installations. Depth-adjustable 19" mounting profiles ensure maximum flexibility during installation.

Comprehensive solutions for cable management, PDU mounting, airflow, and grounding enable a clean and professional infrastructure. Thanks to variants with 2 or 3 compartments, cable entry points, and protected cable channels, the cabinet can be customized to meet a variety of requirements.

Available in RAL 7035 Light Gray and RAL 9005 Black, the server cabinet impresses not only with its technical features but also with its modern and professional design.

Remark: Picture similar

Technical specifications	
Manufacturer	ROLINE

Product group	19"/-10"-Cabinet
Product type	19" colocation server cabinet
Colour	grey
Scope of delivery	Colocation cabinet, installation kit (screws, cage nuts, washers), instructions, casters with leveling feet, cylinders (vary by compartment), key
Type of profile rail	L-shaped
Modular spacing	482.6 mm (19 inch)
Model	With permanent frame
Height units	45 U
Minimum rack depth supported	390 mm
Maximum rack depth supported	740 mm
Delivery condition	fully assembled
Demountable	yes
Material group	Steel
Material front door	Steel
Wall mountable	no
Adjustable feet	yes
Maximum weight capacity	1500 kg
Protection class (IP Code)	IP20
Soundproof	no
Number of doors	2
With front door	yes
With backside door	no
With glazed door	partially
Front	Steel door with perforation
Rack rails	yes

Roof	Removable roof
Side panels included	yes
Removeable side panels	yes
Removable front door	yes
Removable back door	yes
Ventilation	Passive
RAL colour	RAL 7035 Light grey
Height	2100 mm
Width	800 mm
Depth	1000 mm
Weight	160 kg
Height of packaging (single piece)	2 mm
Width of packaging (single piece)	880 mm
Depth of packaging (single piece)	1 mm
Package weight (single piece)	160 kg