


# VALUE Dockingstation Type C, 1x HDMI 4K30, 1x USB 3.2 Gen1 Type A, 1x USB 2.0 Type A, 1x Type C PD (Power Delivery)

<b>Product No.</b>	12.99.1146
<b>Manufacturer</b>	VALUE
<b>Manufacturer No.</b>	12.99.1146
<b>EAN (single piece)</b>	7630049640801



**Connect your Macbook, Ultrabook, Notebook/Laptop or PC with USB Type C interface to a HDMI display/monitor or projector (max. resolution 3840x2160 @30Hz). Also, you can connect USB devices to the additional USB-A Ports (1x USB 3.2 Gen 1 / USB 3.0 and 1x USB 2.0), while charging your device simultaneously over the Type-C PD (Power Delivery) port!**

- Connect your device with USB Type C port to a HDMI display/monitor or projector
- 1x HDMI port with a resolution of up to 3840x2160 @30Hz
- 1x USB 3.2 Gen 1 / USB 3.0 (5 Gbps)
- 1x USB 2.0 (480 Mbps)
- USB Type-C PD (Power Delivery) up to 100 Watts
- Portable design
- No power adapter required

**Remark: Support of "Alternate Mode (DP Alt Mode)" required**

Note: According to the current specifications of USB.org we have adapted the technical data of our USB 3 products. The new designation for the already known USB specifications has been changed to USB 3.2 Gen 1 (formerly USB 3.0 / USB 3.1 Gen 1) and USB 3.2 Gen 2 (formerly USB 3.1 / USB 3.1 Gen 2).

## Technical specifications

Manufacturer	VALUE
Product group	Adapters, Terminators, Converters
Product type	Notebook-Docking-Station
Colour	grey
Length	0.1 m
Scope of delivery	Docking Station
Max. resolution	3840 x 2160 @30Hz (4K, Full HD)
Side 1 connection (PC)	USB Type C
Side 2 connection (Peripherals)	1x HDMI 4K30, 1x USB 3.2 Gen1 Type A, 1x USB 2.0 Type A, 1x Type C PD (Power Delivery)
Side 1 Connector Type	USB Type C (USB-C)
Side 1 Connector Gender	Male
Side 2 Connector Type	HDMI Type A USB 3 Type A USB 2.0 Type A USB Type C PD (Power Delivery)
Side 2 Connector Gender	Female
Area of application	External
Dimensions (HxWxD)	10 x 27 x 80 mm
Technical particularity	Power Delivery Function (100W)
Height	10 mm
Width	27 mm
Depth	80 mm
Weight	29 g
Height of packaging (single piece)	20 mm
Width of packaging (single piece)	100 mm
Depth of packaging (single piece)	170 mm

Package weight (single piece) 0.1 kg