VALUE 19" LCD KVM Switch 1 User - 8PCs, 43 cm (17") TFT (4:3), VGA, USB, CH-Layout

Product No. 26.99.0162

Manufacturer VALUE

Manufacturer No. 26.99.0162

EAN (single piece) 7630049612563









The VALUE 19" console switch combines the functions of a keyboard, a touchpad and a 43 cm TFT monitor as well as an 8-port KVM switch in a 1U housing for installation in a 19" rack.

- The professional solution for Server-Management
- The VALUE 19" LCD console combines the function of a keyboard, a touchpad and a 43 cm TFT together in a 1 U casing for a 19" rack
- · Easy to install, single rail design
- Panel protected by tempered glass
- OSD function (On Screen Display) for LCD display
- Durable keyboard with touchpad
- Supports USB keyboard and mouse, VGA
- Contents: Console, rails with mounting accessories, rack mount brackets, keys, KVM cable (HDDB-15/VGA 1.8m), USB cable, power supply, power cord, CD with manual, quick installation guide

Monitor data:

- Active 43 cm matrix TFT display
- Max. resolution: 1.280 x 1.024 Pixel

• Contrast: 1000:1

• Brightness: 250 cd/m²

Package Contents
Console
Standard Rack Mount Kit
8 x KVM Cable

Keyboard layout: Swiss (CH)

- Up to 8 PCs can be controlled with one keyboard, one mouse and one monitor
- Supports both PS/2 and USB interface for connecting to PC ports conveniently
- No software required easy PC selection via On Screen Display (OSD), push buttons, hotkeys
- Hot-pluggable add or remove connected PCs without powering off the KVM switch or PCs

| Technical specifications | |
|------------------------------------|--|
| Manufacturer | VALUE |
| Product group | 19"-/10"-Equipment rack |
| Product type | Console Switch |
| Colour | black |
| Scope of delivery | Console, Power Cord, KVM Cable (1.8m, VGA HD15, USB Cable, Rack Mount Brackets, Mounting Accessories, Keys, Manual |
| 19" shelves required for mounting | 2 |
| Required mounting height | 1 U |
| Monitor size of integrated console | 17" (43 cm) |
| Keyboard layout | CH |
| Weight | 13.8 kg |
| Height of packaging (single piece) | 250 mm |
| Width of packaging (single piece) | 340 mm |
| Depth of packaging (single piece) | 750 mm |

Package weight (single 18 kg piece)