

# VALUE 19" LCD KVM Switch 1 User - 8PCs, 48 cm (19") TFT (16:9), VGA, USB, FR-Layout

<b>Product No.</b>	26.99.0193
<b>Manufacturer</b>	VALUE
<b>Manufacturer No.</b>	26.99.0193
<b>EAN (single piece)</b>	7630049612617



**The VALUE 19" console switch combines the functions of a keyboard, a touchpad and a 48 cm TFT monitor as well as an 8-port KVM switch in a 1U housing for installation in a 19" rack.**

- The professional solution for Server-Management
  - The VALUE 19" LCD console combines the function of a keyboard, a touchpad and a 48 cm TFT (16:9) together in a 1 U casing for a 19" rack
  - Easy to install, single rail design
  - Panel protected by tempered glass
  - OSD function (On Screen Display) for LCD display
  - Durable keyboard with touchpad
  - Supports USB keyboard and mouse, VGA
- 
- Contents: Console, rails with mounting accessories, rack mount brackets, keys, KVM cable (HDDB-15/VGA + 2x PS/2, 1.8m), USB cable, power supply, power cord, CD with manual, quick installation guide

Monitor data:

- Active 48 cm matrix TFT display
- Max. resolution: 1366 x 768 Pixel

- Contrast: 1000:1

Package Contents

- Console
- Standard Rack Mount Kit
- 8 x KVM Cable
- Power Cord
- Manual

- **Keyboard layout: french (F)**
- Up to 8 PCs can be controlled with one keyboard, one mouse and one monitor
- Supports both PS/2 and USB interface for connecting to PC ports conveniently
- No software required - easy PC selection via On Screen Display (OSD), push buttons, hot-keys
- Hot-pluggable - add or remove connected PCs without powering off the KVM switch or PCs

Technical specifications	
Manufacturer	VALUE
Product group	19"-/10"-Equipment rack
Product type	Console Switch
Colour	black
Scope of delivery	Console, Power Cord, KVM Cable (1.8m, VGA HD15), USB Cable, Rack Mount Brackets, Mounting Accessories, Keys, Manual
19" shelves required for mounting	2
Required mounting height	1 U
Monitor size of integrated console	19" (48 cm)
Keyboard layout	FR
Height of packaging (single piece)	190 mm
Width of packaging (single piece)	630 mm
Depth of packaging (single piece)	750 mm

---

Package weight (single piece)      17 kg