

# VALUE Network Cabinet 42U, 2000x800x800 mm

<b>Product No.</b>	26.99.0810
<b>Manufacturer</b>	VALUE
<b>Manufacturer No.</b>	26.99.0810
<b>EAN (single piece)</b>	7611990133642



VALUE 19"-Cabinet, black, in 42 U, as Cabling Cabinet

- Cabling Cabinet in BxT 800x800mm with a glass door on the front side and a back door in sheet steel
- Two pairs of 19"-profiles
- All doors are lockable with single point locking
- 4 castors as well as 4 adjustable feet
- Demountable side panels, convenient for installation and maintenance
- Top cover of Cabling Cabinet with cable entry opening possibility and with 4 cooling fans included
- 3 fixed shelves and a pair of vertical cable management

Features:

- Front Door: Glass door + green color decorative strip and small round lock
- Back Door: Flat steel with small round lock, with 4pcs cooling fan
- Comply with ANSI/EIA
- Material: SPCC Cold Rolled Steel
- Static loading: 800kg
- 4 fan units: 1 set
- Fixed shelf: 3 pcs
- Management slot: 2 pcs
- Castor: 4 pcs
- M12 feet: 4pcs
- 

**Technical specifications**

Manufacturer	VALUE
Product group	19"/-10"-Cabinet
Product type	19"-Floor cabinet
Colour	black
Height units	42 U
Maximum rack depth supported	650 mm
Server cabinet	no
Socket	no
Socket with tilt protection	no
Dimensions (HxWxD) w/o socket	2000 x 800 x 800 mm
Maximum weight capacity	800 kg
Protection class (IP Code)	IP20
Front	Glass door with frame
Backside	Steel door
Side panel	Plug door
19" level	Ahead and behind
Roof	Cable entry possibility
Roof raised	no
Floor	Closed
Ventilation	Active
Grounding set mounted	no
Adjustable feets	yes
Fan ready	yes
Colour (Cabinet)	black
Colour (Covering)	black
Height	2000 mm

---

Width	800 mm
-------	--------

Depth	800 mm
-------	--------

Weight	136.34 kg
--------	-----------

Height of packaging (single piece)	2020 mm
---------------------------------------	---------

Width of packaging (single piece)	800 mm
--------------------------------------	--------

Depth of packaging (single piece)	850 mm
--------------------------------------	--------

Package weight (single piece)	135 kg
----------------------------------	--------