
## ROLINE GREEN UTP Data Center Patch Cord Cat.6A (Class EA), LSOH, Slim, blue, 1 m

Product No. Manufacturer Manufacturer No. EAN (single piece)

Class EA

21.44.3943 ROLINE GREEN 21.44.3943 7630049624085



Product

Category 6A twisted-pair patch cable with RJ-45 connectors on both sides. Particularly thin and flexible cable with individual pairs of wires for use in confined spaces, such as in data centres.

- Durable thanks to moulded-on kink protection
- $\ensuremath{\cdot}$  Suitable as patch cable in patch panels or as device connection cable and intended for use in the LAN
- Contact assignment: 1:1 according to EIA/TIA568, 8 cores
- Structure: 8 cores stranded wire

ROLINE GREEN products are marked only with a paper tag and build with halogenfree TPE material, without plastic bags and without plastic cable straps for use in eco-friendly environments.

| Technical specifications |                    |  |
|--------------------------|--------------------|--|
| Manufacturer             | ROLINE GREEN       |  |
| Product group            | Twisted Pair Cable |  |
| Product type             | UTP Patch Cables   |  |

| Colour                              | blue  |
|-------------------------------------|---|
| Length                              | 1 m   |
| Scope of delivery                   | Cable without plastic bag, only marked with a paper label |
| Shield type                         | UTP   |
| Transfer quality                    | Cat6A / Class EA  |
| Quantity of wires                   | 8   |
| Conductor cross section<br>(AWG)    | AWG 32  |
| Conductor type                      | Stranded  |
| Crossed                             | no  |
| Slim cable                          | yes   |
| Locking lever                       | yes   |
| Anti-kink sleeve                    | Moulded-on  |
| Colour (Spout)                      | blue  |
| Cable LSOH                          | yes   |
| Material (external cable<br>mantle) | LSOH-TPE  |
| Side 1 Connector Type               | RJ-45   |
| Side 1 Connector<br>Gender          | Male  |
| Side 2 Connector Type               | RJ-45   |
| Side 2 Connector<br>Gender          | Male  |
| Connector Type RJ45                 | Standard  |
| Operating temperature min.          | -10 °C  |
| Operating temperature max.          | 60 °C   |
| Storage temperature<br>min.         | -20 °C  |
| Storage temperature<br>max.         | 75 °C   |
|                                     |   |

| Weight                                | 18.5 g  |
|---------------------------------------|---------|
| Height of packaging<br>(single piece) | 20 mm   |
| Width of packaging<br>(single piece)  | 50 mm   |
| Depth of packaging<br>(single piece)  | 50 mm   |
| Package weight (single<br>piece)      | 0.02 kg |